



**J&K Pollution Control Committee  
Jammu/Kashmir (www.jkspcb.nic.in)**

**Consent Order**

**Consent No.:- PCC/digital/25045564664 of 2025**

**Date:- 06/11/2025**

**Consent To Operate ( NEW ) under Section 25/26 of the Water(Prevention & Control Pollution)Act, 1974, and under Section 21 of the Air(Prevention & Control of Pollution)Act, 1981, as amended is granted in favour of**

Sh. DR MUSHTAQ AHMAD DAR  
M/s THE SKJ HOSPITAL  
K P ROAD ANANTNAG  
Anantnag, Anantnag( registered with DIC vide  
registration No: date: )

for a period Of one year from the date of issuance for GREEN category of unit as per revised classification of industrial sector, subject (line of Activity - IDS3.6 11 to 50 bedded Health Care Facility )to the following terms and conditions in a time bound manner :

1. The consent granted by the Committee is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for the manufacturing of the products / by-products of consented quantity as mentioned below with capital investment of Rs.99 lacs lakhs(as per Schedule II):

S No.	Products/BY-Products Name	Maximum Quantity	Unit
1	TOTAL BED STRENGTH	25	Beds

Any change / enhancement in production capacity, process, raw materials etc shall have to be intimated to the Committee and the unit holder has to apply afresh for the same

**3. Compliance under Water Act :**

(a) Sewage Effluent : The unit holder has to install and maintain continuous operation of a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal

**Standards of Discharge for Sewage Disposal:**

Parameters	Range	Conc. in mg/l except for pH
pH	between	6-9
Suspended Solids	Not to exceed	100
BOD(3 days at 27 degree celsius)	not to exceed	30

**(b) Water Consumption and Disposal :**

- i. The daily quantity of water consumption shall not exceed AS PER PERMISSIBLE LIMITS KLD.
- ii. The daily quantity of sewage effluent from the unit shall not exceed from - KLD.
- iii. Waste water generated from the unit shall be disposed through Septic Tank, Soakage Pit or ETP as applicable

**4. Compliance under Air Act :**

- a. The unit holder shall comply to National Ambient Air Quality Standards as per EP Act 1986 (refer rule 3(3B)).
- b. The unit holder shall take adequate measures to treat the emissions generated, if any, during the process and comply to Environment Protection standards specific to Industry

5. The unit holder shall comply to the Solid Waste Management Rules 2016 dated 8-4-2016

6. Under the Noise Pollution (Regulation and Control) Rules 2000, the unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB(A) during night time. Daytime is reckoned in between 6 am to 10 pm and night time is 10 pm to 6 am

7. The unit holder shall comply to the Plastic Waste Management Rules 2016 dated 18-3-2016

8. **Self Monitoring Schedule :**  
The unit holder shall have to get the samples of emission/Effluents analysed from the laboratory of J&K PCC or laboratories approved by J&K PCC after every regular intervals months to the check the efficacy of Pollution Control Devices (PCDs) installed in the unit

9. The unit holder shall comply with the additional conditions as stipulated below:-

- The unit holder has to keep a record of the environmental data monitored regularly with regard to operation and maintenance of pollution control devices viz Air Pollution and Water Pollution Control to achieve the desired standards notified in EP Act.
- Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed , shall have to be operational during the course of production. The effluent/emission shall not contain constituents in excess of the tolerance limits as laid down by J & K Pollution Control Committee.
- The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
- The unit holder shall abide by the directions of the Committee which will be issued from time to time. Any infringement/ violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air/Water Acts and Environment Protection Act in force.
- The unit shall be under surveillance monitoring of J & K Pollution Control Committee
- The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- The unit holder shall adhere to general standards terms and conditions of Water / Air Acts and compliance of environment standards as per environment protection act 1986
- The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this Consent Order
- In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn.

**Specific Conditions:-**

- Good house keeping practices shall be adopted within and outside the unit.
- All PCDs/PCMS proposed in the DPR shall be adopted strictly.
- In case of genuine complaint the consent order shall be withdrawn.

\* This consent is issued purely from environmental angle and the Committee shall not be responsible for any claim, counter claim, ownership, partnership etc of the unit.

'By Order'

**Regional Director**

Copy to the :

- Member Secretary J&K PCC Jammu/Kashmir for information
- General Manager DIC Anantnag for information.
- D.O PCC Anantnag for information & ensure compliance of the conditions of the consent.
- P.A to Chairman J&K PCC for the information of Chairman.
- M/s THE SKJ HOSPITAL , K P ROAD ANANTNAG .
- Office file

The unit holder shall comply to environment standards as notified under the environment protection Act 1986, read with the Water (Prevention & Control of Pollution) Act 1974 & Air (Prevention & Control of Pollution) Act, 1981 which can also be downloaded from the website [www.jkspcb.nic.in](http://www.jkspcb.nic.in) or at [www.cpcb.nic.in](http://www.cpcb.nic.in)